

## H2S SENSOR Module, Transmitter, Flow-Through type

Gas	Model	Sensor	Image	Type	Sensing Method	Measurement Range	Feature	Power Input	Resolution	Detection Limit	Accuracy	Output	Option	Size
H2S	<b>H2S-SM30-3V</b>	H2S module (0~ 100ppm)		module	Electro-Chemical	0~100ppm H2S	H2S gas detector, high accuracy, stability, 2years lifecycle	3.3V	1ppm	1ppm	3% F.S.	UART, I2C,PWM,Alarm	Power Input : 2.7V	33mm x 33mm x 23mm (L,D,H)
H2S	<b>H2S-CD300</b>	built in H2S module (0~ 100ppm)		transmitter	Electro-Chemical	0~100ppm H2S	H2S gas detector, high accuracy, stability, 2years lifecycle	24V DC	1ppm	1ppm	3% F.S.	3wired, 4(0)~20mA, 0(2)~10V	LCD display	123mm x 70mm x 43mm (L,D,H)
H2S	<b>H2S-SM30-PF</b>	built in H2S module (0~ 100ppm)		flow through	Electro-Chemical	0~100ppm H2S	industrial, flow- through type	3.3V	1ppm	1ppm	3% F.S.	UART or I2C or PWM or Alarm	Power Input : 2.7V	58mm x 59.4mm x 26mm (L,D,H)